

Amendments to the Claims

1. (currently amended) A ~~wrapped~~-scented toilet paper roller comprising:

a first roller half (40a)

a second roller half (40b), said first and second roller halves adjustably engaged with each other so that each is slidably movable relative to the other along a longitudinal axis of said scented toilet paper roller;

a curvilinear wall (41a) forming a portion of said first roller half;

a curvilinear wall (41b) forming a portion of said second roller half;

a first solid cylindrical (415a) portion and a first ribbed portion (416a) adjacent to each other and each forming at least a portion of said curvilinear wall of said first roller half;

a second solid cylindrical portion (415b) and a second ribbed portion (416b) adjacent to each other and forming at least a portion of the second roller half curvilinear wall;

~~a first plurality of sixteen ribs spaced such that a chasm of about 1/16" exists between adjacent ribs of said first plurality of sixteen ribs, said first plurality of sixteen ribs forming said rib portion of said first roller half;~~

~~a second plurality of sixteen ribs spaced such that a chasm of about 1/16" exists between adjacent ribs of said second plurality of sixteen ribs, said second plurality of sixteen ribs forming said rib portion of said second roller half;~~

a ~~plurality~~ first scented material (60) ~~scented beads~~ disposed within a hollow chamber formed by said first and second roller halves said first scented material being a plurality of scented beads (60);

a second scented material (70) ~~an amount of scented oil~~ disposed in said hollow chamber ~~formed by said first and second roller halves~~ ~~over at least some of said plurality of scented beads;~~ ~~and~~ said second scented material is scented oil (70), said scented oil is disposed over said scented beads as a layer of scented oil (70).

~~wherein said first roller half has an outer diameter of about 15/16"; said second roller half has an outer diameter of about 3/4"; and~~

~~wherein said solid cylindrical portion of said second roller half includes a portion with an expanded diameter such that this portion has an outer diameter greater than 3/4"; and~~

~~a wrapping disposed around the toilet paper roller providing airtight barrier around the roller;~~

2. (currently amended) The wrapped scented toilet paper roller of claim 1 wherein a wrapping is disposed around said roller said wrapping comprises a layer of aluminum at least partially coated with polyester; said metalized wrapper providing an airtight barrier around said scented toilet tissue roller.

3. (original) The wrapped scented toilet paper roller of claim 1 wherein the roller halves are thermoplastic.

4. (cancelled)

5. (cancelled)